


FortiGate FortiWiFi 40F Series



Highlights

Gartner® Magic Quadrant™ Leaders for both Network Firewalls and SD-WAN

Unparalleled performance enabled by Fortinet's patented ASIC and the FortiOS operating system

Enterprise-grade protection with FortiGuard AI-Powered Security Services

Simplified operations with centralized management for networking and security, automated workflows, deep analytics, and self-healing

Inclusive SD-WAN and wireless controller in every FortiGate appliance at no extra cost

Rich portfolio for any business budget and need

Converged Next-Generation Firewall and SD-WAN

The FortiGate and FortiWiFi 40F series integrate firewalling, SD-WAN, and security in one appliance, making them perfect for building secure networks at distributed enterprise sites and transforming WAN architecture at any scale.

The 40F series runs on FortiOS, the industry's first converged networking and security operating system. This single OS approach enables businesses to gain benefits of operational efficiency and unified protection from the seamless integration of Fortinet Solutions within a Hybrid Mesh Firewall architecture.

As a cornerstone of the Fortinet Security Fabric platform, the FortiGate NGFW works seamlessly with FortiGuard Al-Powered Security Services to deliver coordinated, automated, end-to-end threat protection in real time.

The 40F family is built on the patented SD-WAN-based ASIC, which delivers unmatched performance over traditional CPUs with lower cost and reduced power consumption. This application-specific design and embedded multi-core processor further accelerate the convergence of networking and security functions in the 40F family to optimize secure connections and deliver a robust user experience at branch locations.

IPS	NGFW	Threat Protection	Interfaces
1 Gbps	800 Mbps	600 Mbps	Multiple GE RJ45 WiFi variants

Use Cases

Perimeter Protection



- Protect networks from malicious traffic, guard against file-based threats, block web-based attacks, and secure applications and data with natively integrated FortiGuard AI-Powered Security Services
- Inspect and control incoming and outgoing traffic based on defined security policies
- Perform real-time SSL inspection (including TLS 1.3) with full visibility into users, devices, and applications across the attack surface
- Accelerate performance, protection, and energy efficiency with Fortinet's patented SPU with converged security and networking technologies

Secure SD-WAN

- FortiGate enables best-of-breed WAN edge with integrated SD-WAN, WAN optimization, security, and unified management from a single FortiOS operating system
- FortiGate, built on a patented SD-WAN-based ASIC, delivers faster application identification to avoid delays in accessing applications and accelerates overlay performance regardless of location
- Enhances hybrid working with a comprehensive SASE solution by integrating cloud-delivered SD-WAN with security service edge (SSE)
- Achieves operational efficiencies at any scale through automation, deep analytics, and selfhealing



Secure Branch

- The Fortinet Security Fabric platform enables FortiGate NGFWs to automatically discover and secure IoT devices for faster branch onboarding
- Fully integrated with FortiSwitch secure Ethernet switches and FortiAP access points, FortiGate easily extends security to WAN, LAN, and WLAN at branch offices for unified protection and reliable connectivity
- FortiGate and Fortinet products work seamlessly with FortiManager to centralize visibility and simplify management across locations for IT teams
- FortiGate HA support ensures continuous network protection and minimizes downtime in the event of hardware failures or network disruptions



FortiGuard AI-Powered Security Services

FortiGuard AI-Powered Security Services is part of Fortinet's layered defense and tightly integrated into our FortiGate NGFWs and other products. Infused with the latest threat intelligence from FortiGuard Labs, these services protect organizations against modern attack vectors and threats, including zero-day and sophisticated AI-powered attacks.

Network and file security

Network and file security services protect against network and file-based threats. With over 18,000 signatures, our industry-leading intrusion prevention system (IPS) uses AI/ML models for deep packet/SSL inspection, detecting and blocking malicious content, and applying virtual patches for newly discovered vulnerabilities. Anti-malware protection defends against both known and unknown file-based threats, combining antivirus and sandboxing for multi-layered security. Application control improves security compliance and provides real-time visibility into applications and usage.

Web/DNS security

Web/DNS security services protect against DNS-based attacks, malicious URLs (including those in emails), and botnet communications. DNS filtering blocks the full spectrum of DNS-based attacks while URL filtering uses a database of over 300 million URLs to identify and block malicious links. Meanwhile, IP reputation and anti-botnet services guard against botnet activity and DDoS attacks. FortiGuard Labs blocks over 500 million malicious/phishing/ spam URLs weekly, and blocks 32,000 botnet command-and-control attempts every minute, demonstrating the robust protection offered through Fortinet.

SaaS and data security

SaaS and data security services cover key security needs for application use and data protection. This includes data loss prevention to ensure visibility, management, and protection (blocking exfiltration) of data in motion across networks, clouds, and users. Our inline cloud access security broker service protects data in motion, at rest, and in the cloud, enforcing compliance standards and managing account, user, and cloud app usage. Services also assess infrastructure, validate configurations, and highlight risks and vulnerabilities, including IoT device detection and vulnerability correlation.

Zero-Day threat prevention

Zero-day threat prevention is achieved through AI-powered inline malware prevention to analyze file content to identify and block unknown malware in real time, delivering sub-second protection across all NGFWs. The service also integrates the MITRE ATT&CK matrix to speed up investigations. Integrated into FortiGate NGFWs, the service provides comprehensive defense by blocking unknown threats, streamlining incident response, and reducing security overhead.

OT security

With over 1000 virtual patches, 1100+ OT applications, and 3300+ protocol rules, integrated OT security capabilities detect threats targeting OT infrastructure, perform vulnerability correlation, apply virtual patching, and utilize industry-specific protocol decoders for robust defense of OT environments and devices.



Available in



Appliance



Virtual



Hosted



Cloud



FortiOS Everywhere

FortiOS, Fortinet's Real-Time Network Security Operating System

FortiOS is the operating system that powers Fortinet Security Fabric platform, enabling enforcement of security policies and holistic visibility across the entire attack surface. FortiOS provides a unified framework for managing and securing networks, cloud-based, hybrid, or a convergence of IT, OT, and IoT. FortiOS enables seamless and efficient interoperation across Fortinet products with consistent and consolidated Al-powered protection across today's hybrid environments.

Unlike traditional point solutions, Fortinet adopts a holistic approach to cybersecurity, aiming to reduce complexities, eliminate security silos, and improve operational efficiencies. By consolidating security functions into a single platform, FortiOS simplifies management, reduces costs, and enhances overall security posture. Together, FortiGate and FortiOS create intelligent, adaptive protection to help organizations reduce complexity, eliminate security silos, and optimize user experience.

By integrating generative AI (GenAI), FortiOS further enhances the ability to analyze network traffic and threat intelligence, detects deviations or anomalies more effectively, and provides more precise remediation recommendations, ensuring minimum performance impact without compromising security.

Learn more about what's new in FortiOS. <u>https://www.fortinet.com/products/fortigate/fortios</u>



Intuitive easy to use view into the network and endpoint vulnerabilities

C Outboard	+ Add aldest					
2254						
Interfy	System Information	= • License	is 111.12.34.97.16 ⊙ Ξ×	Security Fabric	c) = *	Assets-Winesah C
Network	House witwitted		a 🔹 💼		Wilder	
Acado & Monthes	Setai number FGVM025HQ40	06500		😹 🔕 farsiCate	CO Personan	
WB	Firmere s74.05a/kD405 Made N47	(min)		27 O Factor	T O Fortilizander	
+ Forthfee feature	Secondary Manual Second	100		Fabric	Canneclars	.2
Fortiging Sources	Union 12-12-1	441	dea WebTiter Baring	C inshe	A Pertilandam	
Part View Desilinations Part View Conditions	WHIP # 25.98723.63		100	E Contail Management	TertCler.(MS	
Cost lifes that Store				10 Maragement		
Contriden Britisher						
Forthfree Innaises	Forth/iew.Applications.by/8	lytes	E @74eo* 2 =*	Static & Dynamic I	Routing	
					Type	
& Newski 3	Application	Crogory	Syber -		11/2 0	
🕭 Policy& Clipson 🔰 🔰	C 2 HTTPLIROVOLR	Drivenchers	2.44 GB		Cons. D	
🗄 Security/Indias 🔹 🔅	Mcrowh/total	Collaboration	523.92MB ==	77		T 77 📜
⇒ vn ⊃	2 2 394	D Notwork Service	283.12140			- 🔁 👻 📕
S Oark Rutherstaden >	2 HTTP/INCOMER	C/WebGleni	134.38MB			
V WFL& Series Controller 3	C. Annual Institute	P.O. MT	#1.5Cad			
O Search Calvier () ()			05.1			
La Legit Report	For Shieve Sources by Three	t Score	E 074en* 0 =+	FortiView Web Sit	les by Threat Score	E O7ev
	Seurce	Device	Thread Score -	Dumain	Citi	pry True
	D A 300322		201,701	C Ostinetram		2,080
	0 8 900113		07.585	Distinguest		445
	A 200333		24420	C Petrostor		10
	D 3 100123		32.661	9172 14 200.4		
		-	and a		**	
PERTINET AND			05.1			

Comprehensive view of network performance, security, and system status

Fortinet ASICs: Unrivaled Security, Unprecedented Performance

Powered by the only purpose-built SPU

Traditional firewalls cannot protect against today's content and connection-based threats because they rely on off-the-shelf general-purpose central processing units (CPUs), leaving a dangerous security gap. Fortinet's custom SPUs deliver the power you need to radically increase speed, scale, and efficiency while greatly improving user experience and reducing footprint and power requirements. Fortinet's SPUs deliver up to 520 Gbps of protected throughput to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

Fortinet ASICs are designed to be energy-efficient, leading to lower power consumption and improved TCO. They deliver industry-leading throughput, handle more traffic and perform security inspections faster, reduce latency for quicker packet processing and minimize network delays.

Fortinet SPUs are designed with integrated security functions like zero trust, SSL, IPS, and VXLAN to name but a few, dramatically improving the performance of these functions that competitors traditionally implement in software.

Secure SD-WAN ASIC SP4

- Combines a RISC-based CPU with Fortinet's proprietary SPU content and network processors for unmatched performance
- Delivers the industry's fastest application identification and steering for efficient business operations
- Accelerates IPsec VPN performance for the best user experience on direct internet access
- Enables best-of-breed NGFW security and deep SSL inspection with high performance
- Extends security to the access layer to enable SD-Branch transformation with accelerated and integrated switch and access point connectivity



Unified Management for Optimal Security and Efficiency

Whether you are a small business or a large enterprise, Fortinet provides centralized control, visibility, and automation for your security infrastructure.

FortiManager: Centralized management at scale for distributed enterprises

ſ	
	<u> </u>

FortiManager, powered by FortiAl, is a centralized management solution for the Fortinet Security Fabric. It streamlines mass provisioning and policy management for FortiGate, FortiGate VM, cloud security, SD-WAN, SD-Branch, FortiSASE, and ZTNA in hybrid environments. Additionally, FortiManager provides real-time monitoring of the entire managed infrastructure and automates network operation workflows. Leveraging GenAl in FortiAl, it further enhances Day 0–1 configurations and provisioning, and Day N troubleshooting and maintenance, unlocking the full potential of the Fortinet Security Fabric and significantly boosting operational efficiency.

FortiGate Cloud: Simplified management for small and mid-size businesses



FortiGate Cloud is a SaaS service offering simplified management, security analytics, and reporting for Fortinet FortiGate NGFWs to help you more efficiently manage your devices and reduce cyber risk. It simplifies the initial deployment, setup, and ongoing management of FortiGates and downstream connected devices such as FortiAP, FortiSwitch, and FortiExtender, with zero-touch provisioning. It provides real-time and historical visibility into traffic analytics and security threats to reduce risks and improve security posture. View various threats, web traffic, and system events stored in the cloud for up to a year, with predefined reports to meet compliance and deliver actionable insights.





GenAl in FortiManager helps manage networks effortlessly—generate configuration and policy scripts, troubleshoot issues, and execute recommended actions.

FortiGate Cloud provides intuitive management and analytics solution with end-to-end visibility, logging and reporting for SMB.

FortiConverter Service


Migration to FortiGate NGFW made easy



The FortiConverter Service provides hassle-free migration to help organizations transition quickly and easily from a wide range of legacy firewalls to FortiGate NGFWs. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.

Hardware

FortiGate FortiWifi 40F Series



FortiGate FortiWifi 40F-3G4G

SoC4 (▲ DESKTOP) (▲ 3G4G/LTE) (奈 a/b/g/n/ac-W2 \cdot $\overline{\mathbf{\cdot}}$ $\overline{\mathbf{\cdot}}$ F**S**RTINET. FortiWiFi 40F-3G4G 1 2 3 Å NAN SVC PWR STATUS HA HIPT $\overline{\mathbf{\cdot}}$ -----========================= = 💽 $\mathbf{\cdot}$ -DC+12V USB CONSOLE WAN A - ∞ 3 2 1

Interfaces

- 1. 1 x USB Port
- 2. 1 x Console Port
- 3. 1 x GE RJ45 WAN Port
- 4. 1 x GE RJ45 FortiLink Port
- 5. 3 x GE RJ45 Ethernet Ports

Interfaces

- 1. 1 x USB Port
- 2. 1 x Console Port
- 3. 1 x GE RJ45 WAN Port
- 4. 1 x GE RJ45 FortiLink Port
- 5. 3 x GE RJ45 Ethernet Ports

Hardware Features

34

Access layer security



2

FortiLink protocol enables you to converge security and network access by integrating the FortiSwitch into the FortiGate as a logical extension of the firewall. These FortiLink-enabled ports can be reconfigured as regular ports as needed.

^

Compact and reliable form factor

6

Designed for small environments, the FortiGate can be on a desktop or wall-mounted. It is small, lightweight, yet highly reliable with superior meantime between failures, minimizing the chance of network disruption.

7

Specifications

	FORTIGATE 40F	FORTIWIFI 40F	FORTIGATE 40F-3G4G	FORTIWIFI 40F-3G4G	
Interfaces and Modules					
Hardware Accelerated GE RJ45 WAN / DMZ Ports	1	1	1	1	
Hardware Accelerated GE RJ45 Internal Ports	3	3	3	3	
Hardware Accelerated GE RJ45 FortiLink Ports (Default)	1	1	1	1	
Hardware Accelerated GE RJ45 PoE/+ Ports	0	0	0	0	
Cellular Modem	-	-	3G4G LTE	3G4G LTE	
Wireless Interface	0	Single Radio (2.4GHz/5GHz) 802.11 /a/b/g/n/ac-W2	0	Single Radio (2.4GHz/5GHz), 802.11 a/b/g/n/ac-W2	
Antenna Ports (SMA)	0	3	3	6	
USB Ports	1	1	1	1	
Console Port (RJ45)	1	1	1	1	
SIM Slots (Nano SIM)	0	0	2	2	
Onboard Storage	0	0	0	0	
Included Transceivers	0	0	0	0	
Trusted Platform Module (TPM)	_	_	_	_	
Bluetooth Low Energy (BLE)	_	_	_	_	
Signed Firmware Hardware Switch	_	_	_	_	
System Performance — Enterprise Traffic Mix					
IPS Throughput ²		1 (Gbps		
NGFW Throughput ^{2,4}		800	Mbps		
Threat Protection Throughput ^{2, 5}		600	Mbps		
System Performance and Capacity					
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)		5/5/	5 Gbps		
Firewall Latency (64 byte, UDP)		2.9	97 µs		
Firewall Throughput (Packet per Second)		7.5	Mpps		
Concurrent Sessions (TCP)		70	000 0		
New Sessions/Second (TCP)		35	000		
Firewall Policies		2	000		
isec VPN Throughput (512 byte) 1 4.4 Gbps					
Gateway-to-Gateway IPsec VPN Tunnels		2	200		
Client-to-Gateway IPsec VPN Tunnels		2	250		
SSL-VPN Throughput ⁶		490	Mbps		
Concurrent SSL-VPN Users ⁶ (Recommended Maximum, Tunnel Mode)	200				
SSL Inspection Throughput (IPS, avg. HTTPS) ³		310	Mbps		
SSL Inspection CPS (IPS, avg. HTTPS) ³		3	320		
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	55 000				
Application Control Throughput (HTTP 64K) ²		990	Mbps		
CAPWAP Throughput (HTTP 64K)		3.5	Gbps		
Virtual Domains (Default / Maximum)		10) / 10		
Maximum Number of FortiSwitches Supported	aximum Number of FortiSwitches Supported 8				
Maximum Number of FortiAPs (Total / Tunnel) 16 / 8					
Maximum Number of FortiTokens		Ę	500		
High Availability Configurations		Active-Active, Activ	ve-Passive, Clustering		

Note: All performance values are "up to" and vary depending on system configuration.

¹ IPsec VPN performance test uses AES256-SHA256.

 $^{\rm 2}$ IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

³ SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

⁴ NGFW performance is measured with Firewall, IPS and Application Control enabled.

⁵ Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

⁶ SSL VPN not supported on FortiOS 7.6.0 and above.

Specifications

	FORTIGATE 40F	FORTIWIFI 40F	FORTIGATE 40F-3G4G	FORTIWIFI 40F-3G4G		
Dimensions and Power						
Height x Width x Length (inches)	1.5 ×	8.5 × 6.3	1.6 × 8.5 × 6.3			
Height x Width x Length (mm)	38.5 ×	216 × 160	40.5 × 216 × 160			
Weight	2.2	bs (1 kg)	2.2 lbs (1 kg)			
Form Factor (supports EIA/non-EIA standards)	De	esktop	Des	Desktop		
Input Rating	121	/dc, 3A	12Vd	ic, 3A		
Power Required		nal DC Power Adapter, AC, 50/60 Hz	Powered by external DC power adapter 100-240V AC, 50/60 Hz			
Current (Maximum)	100V AC / 0.2	A, 240V AC / 0.1A	100V AC / 0.3A,	100V AC / 0.3A, 240V AC / 0.2A		
Power Consumption (Average / Maximum)	7.74 W / 9.46 W	14.6 W / 16.6 W	15.8 W / 18.6 W	18.6 W / 19.8 W		
Heat Dissipation	52.55 BTU/h	56.64 BTU/h	63.5 BTU/h	67.6 BTU/h		
Operating Environment and Certifications						
Operating Temperature		32°F to 104°F	(0°C to 40°C)			
Storage Temperature		-31°F to 158°F	(-35°C to 70°C)			
Humidity		10% to 90% n	ion-condensing			
Noise Level	Fanless 0 dBA					
Operating Altitude	Up to 7400 ft (2250 m)					
Compliance	FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB					
Certifications	USGv6/IPv6					
Radio Specifications						
Multiple (MU) MIMO	N/A	3 × 3	N/A	3 × 3		
Maximum Wi-Fi Speeds	N/A	1300 Mbps @ 5 GHz, 450 Mbps @ 2.4 GHz	N/A	1300 Mbps @ 5 GHz, 450 Mbps @ 2.4 GHz		
Maximum Tx Power	N/A	20 dBm	N/A	20 dBm		
Antenna Gain	N/A	3.5 dBi @ 5GHz, 5 dBi @ 2.4 GHz	N/A	3.5 dBi @ 5GHz, 5 dBi @ 2.4 GHz		
3G4G Modem						
Maximum Tx Power		N/A	20	dBm		
Regions	N/A		All Regions			
Modem Model		N/A		Sierra Wireless EM7565 (2 SIM Slots, Active/Passive)		
LTE Category		N/A	CAT-12			
LTE Bands	N/A B1, B2, B3, B4, B5, B7, B8, B9, B12, B13, B18, B19, B20, B26, E B30, B32, B41, B42, B43, B46, B48, B66					
UMTS/HSPA+		N/A	B1, B2, B4, B5, B6, B8, B9, B19			
WCDMA		N/A	-			
CDMA 1xRTT/EV-DO Rev A		N/A	-			
GSM/GPRS/EDGE		N/A	-			
Module Certifications		N/A	FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB			
Diversity		N/A	Yes			
МІМО		N/A	Yes			
GNSS Bias		N/A	Y	es		

Subscriptions

			Bundles			
Service Category	Service Offering	A-la-carte	Enterprise Protection	Unified Threat Protection	Advanced Threat Protection	
ortiGuard Security	IPS — IPS, Malicious/Botnet URLs	·				
Services	Anti-Malware Protection (AMP)—AV, Botnet Domains, Mobile Malware, Virus Outbreak Protection, Content Disarm and Reconstruct ³ , Al-based Heurestic AV, FortiGate Cloud Sandbox	•	•	•	•	
	URL, DNS and Video Filtering — URL, DNS and Video ³ Filtering, Malicious Certificate	•	•	•		
	Anti-Spam		•	•		
	Al-based Inline Malware Prevention ³	•	•			
	Data Loss Prevention (DLP) 1	•	•			
	Attack Surface Security — IoT Device Detection, IoT Vulnerability Correlation and Virtual Patching, Security Rating, Outbreak Check	•	•			
	OT Security—OT Device Detection, OT vulnerability correlation and Virtual Patching, OT Application Control and IPS ¹	•				
	Application Control		included with FortiCare Subscription			
	Inline CASB ³		includ	led with FortiCare Subs	cription	
SD-WAN and SASE Services	SD-WAN Underlay Bandwidth and Quality Monitoring	Models up to FG/ FWF-60F series				
	SD-WAN Underlay and Application Monitoring Service	FG-70F series and above				
	SD-WAN Overlay-as-a-Service	•				
	SD-WAN Connector for FortiSASE Secure Private Access	•				
	SASE expansion for SD-WAN (SD-WAN SPA Connector license plus FortiSASE starter kit for n* users) $^{\rm 2}$	Selected models only ²				
	SASE connector for FortiSASE Secure Edge Management (with 10Mbps Bandwidth)	Desktop models only				
NOC and SOC Services	FortiConverter Service for one time configuration conversion	•	•			
Services	Managed FortiGate Service—available 24×7, with Fortinet NOC experts performing device setup, network, and policy change management	•				
	FortiGate Cloud—Management, Analysis, and One Year Log Retention	•				
	FortiManager Cloud	•				
	FortiAnalyzer Cloud	•				
	FortiGuard SOCaaS—24×7 cloud-based managed log monitoring, incident triage, and SOC escalation service	•				
Hardware and Software Support	FortiCare Essentials	Desktop models only				
	FortiCare Premium	•	•	•	•	
	FortiCare Elite	•				
Base Services	Device/OS Detection, GeoIPs, Trusted CA Certificates, Internet Services and Botnet IPs, DDNS (v4/v6), Local Protection, PSIRT Check, Anti-Phishing		includ	led with FortiCare Subs	cription	

1. Full features available when running FortiOS 7.4.1.

2. See the FortiSASE Ordering Guide for supported models and their associated number of user licenses.

3. Not available for FortiGate/FortiWiFi 40F, 60E, 60F, 80E, and 90E series from 7.4.4 onwards. Not available for FortiGate/FortiWiFi 30G and 50G series in any OS build.

FortiGuard AI-Powered Security Bundles for FortiGate



FortiGuard AI-Powered Security Bundles provide a comprehensive and meticulously curated selection of security services to combat known, unknown, zero-day, and emerging AI-based threats. These services are designed to prevent malicious content from breaching your defenses, protect against web-based threats, secure devices throughout IT/OT/IoT environments, and ensure the safety of applications, users, and data. All bundles include FortiCare Premium Services featuring 24×7×365 availability, one-hour response for critical issues, and next-business-day response for noncritical matters.

FortiCare Services



Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive life-cycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service offerings, provides heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an extended end-of-engineering support of 18 months, providing flexibility and access to the intuitive FortiCare Elite portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.

Ordering Information


Product	SKU	Description
FortiGate 40F	FG-40F	5x GE RJ45 ports (including 4x Internal Ports, 1x WAN Ports).
FortiGate 40F	FG-40F-HA	5 x GE RJ45 ports (including, 1 x WAN Port, 4 x Internal Ports). FG-XX-HA SKUs must to be bought in pairs and entitle HA pair to leverage single service contracts.
FortiWiFi 40F	FWF-40F-[RC]	5x GE RJ45 ports (including 4x Internal Ports, 1x WAN Ports), Wireless (802.11a/b/g/n/ac-W2).
FortiGate 40F-3G4G	FG-40F-3G4G	5x GE RJ45 ports (Including 1x WAN port, 4x Switch ports) with Embedded 3G/4G/LTE wireless wan module, external SMA WWAN antennas included.
FortiGate 40F-3G4G	FG-40F-3G4G-HA	5 x GE RJ45 ports (including 1 x WAN Port, 4 x Internal Ports) with Embedded 3G/4G/LTE wireless wan module, 3 external SMA WWAN antennas included. FG-XX-HA SKUs must to be bought in pairs and entitle HA pair to leverage single service contracts.
FortiWiFi 40F-3G4G	FWF-40F-3G4G-[RC]	5x GE RJ45 ports (Including 1x WAN port, 4x Switch ports) with Embedded 3G/4G/LTE wireless wan module, Wireless (802.11a/b/g/n/ac-W2), external SMA WWAN and wireless antennas included.
Optional Accessories		
Rack Mount Tray	SP-RACKTRAY-02	Rack mount tray for all FortiGate E series and F series desktop models are backwards compatible with SP-RackTray-01. For list of compatible FortiGate products, visit our Documentation website, docs.fortinet.com
AC Power Adaptor	SP-FG-40F-PA-10(-XX)	Pack of 10 AC power adaptors for FG/FWF-40F, come with interchangeable power plugs. (XX=various countries code).
Wall Mount Kits	SP-FG60F-MOUNT-20	Pack of 20 wall mount kits for FG/FWF-40F series, FG/FWF-60F series, FG-80F, FG-81F and FG-80F-Bypass.

[RC] = regional code: A, B, D, E, F, I, J, N, P, S, V, and Y

Visit https://www.fortinet.com/resources/ordering-guides for related ordering guides.

Fortinet Corporate Social Responsibility Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.



F

www.fortinet.com

Copyright © 2025 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, Fo